



## SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product Name:** ALLIED MULT PURPATFDEXMERC16GL  
**Product Code:** AL06DX16

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use:** Automatic Transmission Fluid  
**Recommended restrictions:** Not applicable

#### 1.3. Details of the supplier of the safety data sheet

**Manufacturer:** ALLIED OIL & TIRE COMPANY  
2209 S. 24th Street  
Omaha, NE 68108  
**Information Phone:** 402-344-4343  
**E-mail:** info@allied-oil.com

#### 1.4. Emergency telephone number

**Emergency phone number:** CHEMTREC: +1 (800) 424-9300

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Not classified under GHS

#### 2.2. Label elements

#### 2.3. Other hazards

**Hazards not otherwise classified:** Avoid prolonged or repeated skin contact with used fluid.

Unknown acute toxicity (GHS-US)

### SECTION 3: Composition/information on ingredients

Chemical Name	%	CAS #	GHS Classification
Petroleum distillates, hydrotreated heavy paraffinic	90 - 99	64742-54-7	Acute Tox. 4; H332 Acute Tox. 3; H331

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.  
**Eyes** None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard.  
**Skin Contact** Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.  
**Ingestion** Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** Not determined

# SAFETY DATA SHEET

## SECTION 4: First aid measures

### 4.3. Indication of any immediate medical attention and special treatment needed

**Note to Doctor** Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable and Unsuitable Extinguishing Media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

### 5.2. Special hazards arising from the substance or mixture

**Fire and/or Explosion Hazards** Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.

### 5.3. Advice for firefighters

**Fire Fighting Methods and Protection** Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

**Hazardous Combustion Products** Carbon monoxide, Smoke

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**General Measures:** No health effects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

### 6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up:** Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so.

Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

### 6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Mildly irritating material. Avoid unnecessary exposure.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

### Incompatible materials

See Section 10.

### 7.3. Specific end use(s)

Automatic Transmission Fluid

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Chemical Name	Occupational Exposure Limits	Value
Oil mist, mineral	OSHA PEL	5 mg/m3
Oil mist, mineral	OSHA PEL	5 mg/m3
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
None.	IDLH	

# SAFETY DATA SHEET

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Chemical Name	Occupational Exposure Limits	Value
None.	OSHA PEL-Skin Notation	

### 8.2. Exposure controls

<b>Engineering Measures</b>	Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.
<b>Respiratory Protection</b>	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.
<b>Respirator Type(s)</b>	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
<b>Eye Protection</b>	No special requirements under normal industrial use.
<b>Skin Protection</b>	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
<b>Gloves</b>	Neoprene, Nitrile

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Liquid
<b>Color</b>	Red
<b>Odor</b>	Mild
<b>Odor threshold</b>	Not determined
<b>pH</b>	Not determined
<b>Freezing point</b>	Not determined
<b>Boiling Point</b>	Not determined
<b>Flash Point</b>	193
<b>Flash Point Method</b>	COC
<b>Evaporation Rate</b>	Not determined
<b>Upper Flammable/Explosive Limit, % in air</b>	= 10
<b>Lower Flammable/Explosive Limit, % in air</b>	= 1
<b>Flammability (solid, gas)</b>	Not applicable
<b>Vapor pressure</b>	<0.20
<b>Vapor Density</b>	Not determined
<b>Relative Density</b>	0.86
<b>Solubility in Water</b>	Insoluble
<b>Octanol/Water Partition Coefficient</b>	Not determined
<b>Autoignition Temperature</b>	Not determined
<b>Decomposition Temperature</b>	Not determined
<b>Viscosity(°C)</b>	35.67
<b>9.2. Other information</b>	
<b>Volatiles, % by weight</b>	0.000000

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	No data available.
<b>10.2. Chemical stability</b>	Stable under normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	Hazardous polymerization will not occur.
<b>10.4. Conditions to avoid</b>	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).

# SAFETY DATA SHEET

## SECTION 10: Stability and reactivity

- 10.5. Incompatible materials** Strong oxidizing agents  
**10.6. Hazardous decomposition products** Carbon monoxide, Smoke

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

- Ingestion Toxicity** No hazard in normal industrial use. Estimated to be > 5.0 g/kg.  
**Skin Contact** This material is estimated to be slightly irritating (Primary Irritation Index is 0.5 - 3.0 [rabbits]). Can cause minor skin irritation, defatting, and dermatitis.  
**Absorption** Estimated to be > 5.0 g/kg; practically non-toxic  
**Inhalation Toxicity** No hazard in normal industrial use. Estimated to be 2 - 20 mg/l; slightly toxic.  
**Eye Contact** This material is estimated to be non-irritating eyes (Draize score <15 [rabbits]). No hazard in normal industrial use.  
**Sensitization** Non-hazardous under Respiratory Sensitization category. No data available to indicate product or components may be a skin sensitizer.  
**Mutagenicity** No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.  
**Carcinogenicity** Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.  
**Reproductive and Developmental Toxicity** No data available to indicate product or any components present at greater than 0.1% may cause birth defects.  
**Specific target organ toxicity-Single exposure** Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.  
**Specific target organ toxicity-Repeated exposure** Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.  
**Aspiration toxicity** Non-hazardous under Aspiration category.  
**Other information** No data available.

### Agents Classified by IARC Monographs

Arsenic	IARC Group 1
Benzene	IARC Group 1
Cadmium	IARC Group 1
Lead	IARC Group 2A
Naphthalene	IARC Group 2B
Lead	IARC Group 2B
ethylbenzene	IARC Group 2B

### National Toxicity Program (NTP) Status

Arsenic	Known Human Carcinogen
Benzene	Known Human Carcinogen
Cadmium	Known Human Carcinogen
Naphthalene	Reasonably Anticipated To Be A Human Carcinogen
Lead	Reasonably Anticipated To Be A Human Carcinogen

## SECTION 12: Ecological information

### 12.1. Toxicity

- Acute Aquatic ecotoxicity:** Non-hazardous under Aquatic Acute Environment category.  
**Chronic Aquatic ecotoxicity:** Non-hazardous under Aquatic Chronic Environment category.

### 12.2. Persistence and degradability

Biodegrades slowly.

### 12.3. Bioaccumulative potential

Bioconcentration may occur.

### 12.4. Mobility in soil

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

# SAFETY DATA SHEET

## SECTION 12: Ecological information

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

Not determined

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal Methods

Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.

#### Waste Disposal Code(s)

#### Waste Description for Spent Product

Spent or discarded material is not expected to be a hazardous waste.

#### Contaminated packaging:

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

## SECTION 14: Transport information

**DOT Basic Description** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

## SECTION 15: Regulatory information

### Chemical Inventories

**TSCA Status** All components of this material are on the US TSCA Inventory or are exempt.

**U.S. State Restrictions:** Not applicable

**WHMIS:** Uncontrolled product according to WHMIS classification criteria.

Chemical Name	Regulation	CAS #	%
None.	CERCLA		
Toluene	SARA 313	108-88-3	0.01 - 0.1
Naphthalene	SARA 313	91-20-3	<10ppm
Arsenic	SARA 313	7440-38-2	<10ppm
Lead	SARA 313	7439-92-1	<10ppm
Benzene	SARA 313	71-43-2	<10ppm
Cadmium	SARA 313	7440-43-9	<10ppm
ethylbenzene	SARA 313	100-41-4	<10ppm
None.	SARA EHS		
None.	TSCA 12b		

### U.S. State Regulations

Chemical Name	Regulation	CAS #	%
Naphthalene	California Prop 65-Cancer	91-20-3	<10ppm
Trimethyl phosphate	California Prop 65-Cancer	512-56-1	<10ppm
Lead	California Prop 65-Cancer	7439-92-1	<10ppm
Benzene	California Prop 65-Cancer	71-43-2	<10ppm
Cadmium	California Prop 65-Cancer	7440-43-9	<10ppm

# SAFETY DATA SHEET

Chemical Name	Regulation	CAS #	%
ethylbenzene	California Prop 65- Cancer	100-41-4	<10ppm
Toluene	California Prop 65- Dev. Toxicity	108-88-3	0.01 - 0.1
Sulfur dioxide	California Prop 65- Dev. Toxicity	7446-09-5	0.001- 0.01
Lead	California Prop 65- Dev. Toxicity	7439-92-1	<10ppm
Benzene	California Prop 65- Dev. Toxicity	71-43-2	<10ppm
Cadmium	California Prop 65- Dev. Toxicity	7440-43-9	<10ppm
Lead	California Prop 65- Reprod -fem	7439-92-1	<10ppm
Lead	California Prop 65- Reprod-male	7439-92-1	<10ppm
Benzene	California Prop 65- Reprod-male	71-43-2	<10ppm
Cadmium	California Prop 65- Reprod-male	7440-43-9	<10ppm
Mineral oil, petroleum distillates, hydrotreated light naphthenic	Massachusetts RTK List	64742-53-6	1 - 5
None.	New Jersey RTK List		
None.	Pennsylvania RTK List		
None.	Rhode Island RTK List		
None.	Minnesota Hazardous Substance List		

### HMIS Ratings:

Health: 1  
Fire: 1  
Reactivity: 0  
PPE: B

### NFPA Ratings:

Health: 1  
Fire: 1  
Reactivity: 0

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

## SECTION 16: Other information

**Revision Date** 5/11/2015 2:32:32 PM  
**Supersedes:** 4/6/2015 12:31:59 PM  
**References**  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 AIHA: American Industrial Hygiene Association  
 CFR: Code of Federal Regulations  
 DOT: United States Department of Transportation  
 GHS: Globally Harmonized System of Classification and Labeling of Chemicals  
 HMIS: Hazardous Materials Identification System  
 IARC: International Agency for Research on Cancer  
 IATA: International Air Transportation Association  
 IDLH: Immediately Dangerous to Life or Health  
 IMDG: International Maritime Dangerous Goods  
 NFPA: National Fire Protection Association  
 NIOSH: National Institute for Occupational Safety and Health  
 NTP: National Toxicology Program  
 OSHA: Occupational Safety and Health Administration  
 PEL: Permissible Exposure Limit  
 RTK: Right-to-Know

# SAFETY DATA SHEET

## SECTION 16: Other information

SARA: Superfund Amendments and Reauthorization Act

STEL: Short-term Exposure Limit

TLV: Threshold limit value

TSCA: Toxic Substances Control Act

TWA: Time weighted average

UN: United Nations

WHMIS: Workplace Hazardous Materials Information System

### Disclaimer

Allied Oil & Supply, Inc. makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Allied Oil & Supply, Inc. as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor material designated herein and does not relate to use in combination with any other material or in any process.