

Safety Data Sheet

Product identifier used on the label: Allied SynTXSyn 5W40 10TBN CK4

Product Code: ALDSL072

Revision Date: 03-18-2021

Replaces: 03-09-2021

1. Identification

Product identifier used on the label: **Allied SynTXSyn 5W40 10TBN CK4**
Product Code: ALDSL072

Other means of identification:

Synonyms: No data available

Recommended use of the chemical and restrictions on use:

Recommended use: Motor Oil

Restrictions on use: Uses other than those described above

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: ALLIED OIL & SUPPLY, INC.
2209 S. 24th Street
Omaha, NE 68108

Phone number: 402-344-4343 800-333-3717

E-mail address: info@allied-oil.com

Emergency phone number: CHEMTREC: +1 (800) 424-9300

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification: Not classified as hazardous under OSHA

Hazards not otherwise classified: No data available

3. Composition/information on ingredients

| Chemical Name | Common name and synonyms | CAS # | % |
|--|--------------------------|------------|---------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | No data available | 72623-87-1 | 30 - 60 |
| Highly refined synthetic base stocks | No data available | 64742-54-7 | 10 - 30 |
| 1-Decene, homopolymer, hydrogenated | No data available | 68037-01-4 | 7 - 13 |
| Petroleum distillates, hydrotreated heavy paraffinic | No data available | 64742-54-7 | 5 - 10 |

Safety Data Sheet

Product identifier used on the label: Allied SynTXSyn 5W40 10TBN CK4

Product Code: ALDSL072

Revision Date: 03-18-2021

Replaces: 03-09-2021

| | | | |
|---|-------------------|-------------|-------|
| Distillates, petroleum, solvent-dewaxed light paraffinic | No data available | 64742-56-9 | 1 - 5 |
| Paraffin oils, petroleum, catalytic dewaxed heavy | No data available | 64742-70-7 | 1 - 5 |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | No data available | 64742-65-0 | 1 - 5 |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | No data available | 84605-20-9 | 1 - 5 |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- | No data available | 36878-20-3 | 1 - 5 |
| Alkyl phenol | No data available | 125643-61-0 | 1 - 5 |

One or more hazardous ingredient(s) is claimed as a trade secret under the OSHA Hazard Communication Standard. The hazards of this (these) ingredient(s) are given on this SDS.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

| | |
|----------------------|---|
| Inhalation: | Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. |
| Eye Contact: | Flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention. |
| Skin Contact: | Wash with soap and water. Get medical attention if irritation develops or persists. |
| Ingestion: | Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS. |

Most important symptoms/effects, acute and delayed: No data available

Indication of immediate medical attention and special treatment needed, if necessary: No additional first aid information available.

5. Fire-fighting measures

Safety Data Sheet

Product identifier used on the label: Allied SynTXSyn 5W40 10TBN CK4

Product Code: ALDSL072

Revision Date: 03-18-2021

Replaces: 03-09-2021

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

Unsuitable extinguishing media: No data available

Specific hazards arising from the chemical: Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.

Hazardous combustion products: Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, oxides of phosphorus, Hydrogen sulfide

Special protective equipment and precautions for fire-fighters: Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

Methods and materials for containment and cleaning up: No special spill clean up considerations. Collect and discard in regular trash.

7. Handling and storage

Precautions for safe handling: Mildly irritating material. Avoid unnecessary exposure. Follow all protective equipment recommendations provided in Section 8.

Conditions for safe storage, including any incompatibilities:

Safe storage conditions: Store in a cool dry place. Isolate from incompatible materials.

Materials to Avoid/Chemical Incompatibility: Strong oxidizing agents

8. Exposure controls/personal protection

Safety Data Sheet

Product identifier used on the label: Allied SynTXSyn 5W40 10TBN CK4

Product Code: ALDSL072

Revision Date: 03-18-2021

Replaces: 03-09-2021

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

| Chemical component | OSHA PEL | ACGIH TLV | ACGIH STEL | IDLH |
|--|-------------------------|-------------------------|---------------------------|-------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 5 mg/m ³ TWA | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Highly refined synthetic base stocks | 5 mg/m ³ TWA | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Petroleum distillates, hydrotreated heavy paraffinic | 5 mg/m ³ TWA | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 5 mg/m ³ TWA | 5 mg/m ³ TWA | 10 mg/m ³ STEL | No data available |

Appropriate engineering controls: Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Eye protection: Wear chemically resistant safety glasses with side shields when handling this product. Do not wear contact lenses.

Skin protection: Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

Gloves: Nitrile, Neoprene

General hygiene conditions: Follow all protective equipment recommendations provided in Section 8.

9. Physical and chemical properties

Appearance (physical state, color etc.):

Safety Data Sheet

Product identifier used on the label: Allied SynTXSyn 5W40 10TBN CK4

Product Code: ALDSL072

Revision Date: 03-18-2021

Replaces: 03-09-2021

| | |
|---|-------------------|
| Physical state: | Liquid |
| Color: | Brown |
| Odor: | Mild |
| Odor Threshold: | Not determined |
| pH: | No data available |
| Melting point/freezing point: | |
| Melting Point: | No data available |
| Freezing point: | No data available |
| Initial boiling point and boiling range (°C): | No data available |
| Flash Point (°C): | 224 |
| Evaporation Rate: | No data available |
| Flammability (solid, gas): | No data available |
| Upper/lower flammability or explosive limits: | |
| Upper flammability or explosive limits: | Not established |
| Lower flammability or explosive limits: | Not established |
| Vapor pressure: | No data available |
| Vapor density: | No data available |
| Relative density: | 0.86 |
| Solubility(ies): | Negligible; 0-1% |
| Partition coefficient: n-octanol/water: | No data available |
| Auto-ignition temperature: | No data available |
| Decomposition Temperature: | Not determined |
| Viscosity: | 87.42 |

10. Stability and reactivity

| | |
|--|---|
| Reactivity: | There are no known reactivity hazards associated with this product. |
| Chemical stability: | Stable under normal conditions. |
| Possibility of hazardous reactions: | None expected under standard conditions of storage. |
| Conditions to avoid (e.g., static discharge, shock, or vibration): | Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. |

Safety Data Sheet

Product identifier used on the label: Allied SynTXSyn 5W40 10TBN CK4

Product Code: ALDSL072

Revision Date: 03-18-2021

Replaces: 03-09-2021

| | |
|--|---|
| Incompatible materials: | Moisture (will lead to product performance degradation). Strong oxidizing agents |
| Hazardous decomposition products: | Carbon monoxide, Sulfur containing gases, Nitrogen containing gases, oxides of phosphorus, Hydrogen sulfide |

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact): Skin contact, Inhalation, Ingestion, Eye contact

Symptoms related to the physical, chemical and toxicological characteristics: No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion: Estimated to be > 5.0 g/kg.

Skin Contact: This material is likely to be slightly irritating to skin based on animal data. Can cause minor skin irritation, defatting, and dermatitis.

Absorption: May be harmful in contact with skin.

Inhalation: No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.

Eye Contact: The material is likely to be moderately irritating to eyes based on animal data. Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.

Sensitization: Non-hazardous under Respiratory Sensitization category. No data available to indicate product or components may be a skin sensitizer.

Mutagenicity: No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.

Reproductive toxicity Not known or reported to cause reproductive or developmental toxicity.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Safety Data Sheet

Product identifier used on the label: Allied SynTXSyn 5W40 10TBN CK4

Product Code: ALDSL072

Revision Date: 03-18-2021

Replaces: 03-09-2021

Aspiration hazard: Based on available data, the classification criteria are not met.

Other information: None known.

Numerical measures of toxicity (such as acute toxicity estimates):

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|---|-----------------------------|---------------------------------|---------------------------------------|
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | Oral LD50 Rat > 5000 mg/kg | Dermal LD50 Rabbit > 2000 mg/L | |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- | Oral LD50 Rat > 5000 mg/kg | Dermal LD50 Rabbit > 2000 mg/kg | |
| Distillates, petroleum, solvent-dewaxed light paraffinic | Oral LD50 Rat > 5000 mg/kg | Dermal LD50 Rabbit > 5000 mg/kg | Inhalation LC50 (4h) Rat > 5399 MG/M3 |
| Paraffin oils, petroleum, catalytic dewaxed heavy | Oral LD50 Rat > 15000 mg/kg | Dermal LD50 Rabbit > 5000 mg/kg | |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | Oral LD50 Rat > 15000 mg/kg | Dermal LD50 Rabbit > 5000 mg/kg | Inhalation LC50 (4h) Rat > 2400 MG/M3 |
| Petroleum distillates, hydrotreated heavy paraffinic | Oral LD50 Rat > 15000 mg/kg | Dermal LD50 Rabbit > 5000 mg/kg | |
| 1-Decene, homopolymer, hydrogenated | Oral LD50 Rat > 5000 mg/kg | Dermal LD50 Rabbit > 2000 mg/kg | |
| Highly refined synthetic base stocks | Oral LD50 Rat > 15000 mg/kg | Dermal LD50 Rabbit > 5000 mg/kg | |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | Oral LD50 Rat > 5000 mg/kg | Dermal LD50 Rabbit > 2000 mg/kg | Inhalation LC50 (4h) Rat > 5.2 mg/L |

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA:

| Chemical Name | OSHA Carcinogen | IARC Carcinogen | NTP Carcinogen |
|---|-----------------|-----------------|----------------|
| There are no components that are known or reported to cause cancer. | | | |

12. Ecological information

Safety Data Sheet

Product identifier used on the label: Allied SynTXSyn 5W40 10TBN CK4

Product Code: ALDSL072

Revision Date: 03-18-2021

Replaces: 03-09-2021

Ecotoxicity (aquatic and terrestrial, where available):

Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or wildlife.

Ecological Toxicity Data:

| Chemical Name | CAS # | Aquatic EC50 Crustacea | Aquatic ERC50 Algae | Aquatic LC50 Fish |
|--|-------------|--------------------------------------|-----------------------------------|---|
| Alkyl phenol | 125643-61-0 | No data available | No data available | LC50 (96h) DANIO RERIO > 1000 mg/L |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- | 36878-20-3 | EC50 (48h) Daphnia magna > 100 mg/L | EC50 (72h) Green Algae > 100 mg/L | LC50 (96h) Pimephales promelas (Fathead Minnow) > 1000 mg/L |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | LC50 (48h) > 1000 mg/L | No data available | LC50 (96h) > 5000 mg/L |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available | LC50 (96h) Rainbow Trout > 5000 mg/L |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available | LC50 (96h) Rainbow Trout > 5000 mg/L |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | EC50 (48h) Daphnia magna 190 mg/L | No data available | LC50 (96h) Rainbow Trout > 1000 mg/L |
| Highly refined synthetic base stocks | 64742-54-7 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available | LC50 (96h) Rainbow Trout > 5000 mg/L |
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | EC50 (48h) Daphnia magna > 1000 mg/L | No data available | LC50 (96h) Rainbow Trout > 5000 mg/L |

Persistence and degradability:

Biodegrades slowly.

Bioaccumulative potential:

Bioconcentration may occur.

Mobility in soil:

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

Other adverse effects (such as hazardous to the ozone layer):

None known.

13. Disposal considerations

Safety Data Sheet

Product identifier used on the label: Allied SynTXSyn 5W40 10TBN CK4

Product Code: ALDSL072

Revision Date: 03-18-2021

Replaces: 03-09-2021

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Spent or discarded material is non-hazardous according to environmental regulations.

Contaminated packaging:

Recycle containers whenever possible.

14. Transport information

Carriage of dangerous goods by road (DOT), rail or inland waterways:

DOT Basic Description: Not regulated for road transport

International carriage of dangerous goods by sea (IMDG/IMO):

UN number: Not regulated by IMDG

UN Proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group, if applicable: Not applicable

International carriage of dangerous goods by air (IATA):

UN number: Not regulated by IATA

UN Proper shipping name: Not applicable

Transport hazard class(es): Not applicable

Packing group, if applicable: Not applicable

Environmental hazards (e.g., Marine pollutant (Yes/No)):

None.

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):

No data available

Special precautions which a user needs to be aware of or needs to comply with in connection with transport or conveyance either within or outside their premises:

No data available

15. Regulatory information

Safety Data Sheet

Product identifier used on the label: Allied SynTXSyn 5W40 10TBN CK4

Product Code: ALDSL072

Revision Date: 03-18-2021

Replaces: 03-09-2021

Safety, health and environmental regulations specific for the product in question:

TSCA Status:

All components of this material are on the Active US TSCA Inventory or are exempt.

Regulated Components:

| Chemical Name | CAS # | CERCLA | Sara EHS | Sara 313 | U.S. HAP |
|---|-------------|--------|----------|----------|----------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | N | N | N | N |
| Highly refined synthetic base stocks | 64742-54-7 | N | N | N | N |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | N | N | N | N |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | N | N | N | N |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | N | N | N | N |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | N | N | N | N |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | N | N | N | N |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | N | N | N | N |
| Alkyl phenol | 125643-61-0 | N | N | N | N |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- | 36878-20-3 | N | N | N | N |

Safety Data Sheet

Product identifier used on the label: Allied SynTXSyn 5W40 10TBN CK4

Product Code: ALDSL072

Revision Date: 03-18-2021

Replaces: 03-09-2021

| Chemical Name | CAS # | California Prop 65 - Cancer | California Prop 65 - Dev. Toxicity | California Prop 65 - Reprod fem | California Prop 65 - Reprod male |
|---|-------------|-----------------------------|------------------------------------|---------------------------------|----------------------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | N | N | N | N |
| Highly refined synthetic base stocks | 64742-54-7 | N | N | N | N |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | N | N | N | N |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | N | N | N | N |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | N | N | N | N |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | N | N | N | N |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | N | N | N | N |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | N | N | N | N |
| Alkyl phenol | 125643-61-0 | N | N | N | N |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- | 36878-20-3 | N | N | N | N |

Safety Data Sheet

Product identifier used on the label: Allied SynTXSyn 5W40 10TBN CK4

Product Code: ALDSL072

Revision Date: 03-18-2021

Replaces: 03-09-2021

| Chemical Name | CAS # | Massachusetts RTK List | New Jersey RTK List | Pennsylvania RTK List | Rhode Island RTK List | Minnesota Hazardous Substance List |
|---|-------------|------------------------|---------------------|-----------------------|-----------------------|------------------------------------|
| Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 72623-87-1 | N | N | N | N | N |
| Highly refined synthetic base stocks | 64742-54-7 | N | N | N | N | N |
| 1-Decene, homopolymer, hydrogenated | 68037-01-4 | N | N | N | N | N |
| Petroleum distillates, hydrotreated heavy paraffinic | 64742-54-7 | N | N | N | N | N |
| Distillates, petroleum, solvent-dewaxed light paraffinic | 64742-56-9 | Y | N | N | N | N |
| Distillates, petroleum, solvent-dewaxed heavy paraffinic | 64742-65-0 | N | N | N | N | N |
| Paraffin oils, petroleum, catalytic dewaxed heavy | 64742-70-7 | Y | N | N | N | N |
| Amines, polyethylenepoly-, reaction products with Succinic anhydride polyisobutenyl derivatives | 84605-20-9 | N | N | N | N | N |
| Alkyl phenol | 125643-61-0 | N | N | N | N | N |
| Benzenamine, ar-nonyl-N-(nonylphenyl)- | 36878-20-3 | N | N | N | N | N |

16. Other information, including date of preparation or last revision.

Safety Data Sheet

Product identifier used on the label: Allied SynTXSyn 5W40 10TBN CK4

Product Code: ALDSL072

Revision Date: 03-18-2021

Replaces: 03-09-2021

SDS Prepared by: MCHONGOOFAFA

Revision Date: 03-18-2021

Revision Number: 25

Reason for revision: Activated by Document Formulation Generation

References: No data available

Other Info: No data available

Disclaimer: Allied Oil & Supply, Inc. makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Allied Oil & Supply, Inc. as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor material designated herein and does not relate to use in combination with any other material or in any process.