



# Safety Data Sheet

## ALLIED 75W-90 Synthetic Gear Lubricant

Revision date : 2014/07/07  
Version: 3.0

Page: 1/10  
(30531852/SDS\_GEN\_US/EN)

### 1. Identification

#### Product identifier used on the label

## ALLIED 75W-90 Synthetic Gear Lubricant

#### Recommended use of the chemical and restriction on use

Recommended use\*: lubricants

The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

Allied Oil & Tire Company  
2209 S. 24th Street  
Omaha, NE 68108, USA

Telephone: 402-344-4343  
Email: [info@allied-oil.com](mailto:info@allied-oil.com)  
Website: [www.AlliedOil.com](http://www.AlliedOil.com)

#### Emergency telephone number

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Synonyms: Proprietary synthetic gear lubricant

---

### 2. Hazards Identification

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

#### Classification of the product

Aquatic Acute	3	Hazardous to the aquatic environment - acute
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic

#### Label elements

Hazard Statement:

# Safety Data Sheet

## ALLIED 75W-90 Synthetic Gear Lubricant

Revision date : 2014/07/07  
Version: 3.0

Page: 2/10  
(30531852/SDS\_GEN\_US/EN)

H402 Harmful to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):  
P273 Avoid release to the environment.

Precautionary Statements (Disposal):  
P501 Dispose of contents/container to hazardous or special waste collection point.

### Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

**According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

### Emergency overview

Low hazard for usual industrial or commercial handling.

---

## 3. Composition / Information on Ingredients

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
90-30-2	>= 0.3 - < 1.0 %	1-Naphthalenamine, N-phenyl-

**According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

This product is not regarded as hazardous under current OSHA Hazard Communication standard; CFR 29 Part 1910.1200.

---

## 4. First-Aid Measures

### Description of first aid measures

**General advice:**  
Remove contaminated clothing.

**If inhaled:**  
If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

**If on skin:**  
Wash thoroughly with soap and water.

If irritation develops, seek medical attention.

**If in eyes:**  
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

# Safety Data Sheet

## ALLIED 75W-90 Synthetic Gear Lubricant

Revision date : 2014/07/07

Version: 3.0

Page: 3/10

(30531852/SDS\_GEN\_US/EN)

---

If irritation develops, seek medical attention.

### **If swallowed:**

Rinse mouth and then drink plenty of water. Do not induce vomiting. Immediate medical attention required.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

Hazards: No applicable information available.

### **Indication of any immediate medical attention and special treatment needed**

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Suitable extinguishing media:  
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:  
water jet

### **Special hazards arising from the substance or mixture**

Hazards during fire-fighting:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

### **Advice for fire-fighters**

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

### **Further information:**

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

## **6. Accidental release measures**

### **Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Keep people away and stay on the upwind side. Breathing protection required.

### **Environmental precautions**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

# Safety Data Sheet

## ALLIED 75W-90 Synthetic Gear Lubricant

Revision date : 2014/07/07

Version: 3.0

Page: 4/10

(30531852/SDS\_GEN\_US/EN)

### Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

---

## 7. Handling and Storage

### Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

No special precautions necessary.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

The packed product is not damaged by low temperatures or by frost.

The packed product will not be damaged by high temperatures.

---

## 8. Exposure Controls/Personal Protection

### Advice on system design:

No applicable information available.

### Personal protective equipment

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

#### Hand protection:

Chemical resistant protective gloves

#### Eye protection:

Safety glasses with side-shields.

#### General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice.

---

## 9. Physical and Chemical Properties

Form:	liquid	
Odour:	pungent odour	
Odour threshold:		No applicable information available.
Colour:	amber	
pH value:		insoluble
Melting point:		not determined

# Safety Data Sheet

## ALLIED 75W-90 Synthetic Gear Lubricant

Revision date : 2014/07/07

Page: 5/10

Version: 3.0

(30531852/SDS\_GEN\_US/EN)

Boiling point:	> 200 °C	
Sublimation point:		No applicable information available.
Flash point:	215 °C	(ASTM D92)
Flammability:	not flammable	
Lower explosion limit:		For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.
Upper explosion limit:		For liquids not relevant for classification and labelling.
Autoignition:		not determined
Vapour pressure:		No applicable information available.
Density:	0.850 g/cm <sup>3</sup>	( 55 °C)
Vapour density:		No data available.
Partitioning coefficient n-octanol/water (log Pow):		Study scientifically not justified.
Self-ignition temperature:		not self-igniting
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	<= 100,000.00 mPa*s	( -40.0 °C) (ASTM D 2983)
Viscosity, kinematic:	14.50 - 15.50 mm <sup>2</sup> /s	( 100 °C) (ASTM D445)
Solubility in water:		insoluble
Solubility (quantitative):		No applicable information available.
Solubility (qualitative):	No applicable information available.	
Evaporation rate:		Value can be approximated from Henry's Law Constant or vapor pressure.
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

### 10. Stability and Reactivity

#### Reactivity

No applicable information available.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating

Minimum ignition energy:

No data available.

Reactions with water/air:	Reaction with:	water
	Flammable gases:	no
	Toxic gases:	no
	Corrosive gases:	no
	Smoke or fog:	no
	Peroxides:	no

# Safety Data Sheet

## ALLIED 75W-90 Synthetic Gear Lubricant

Revision date : 2014/07/07

Version: 3.0

Page: 6/10

(30531852/SDS\_GEN\_US/EN)

---

Reaction with:	air
Flammable gases:	no
Toxic gases:	no
Corrosive gases:	no
Smoke or fog:	no
Peroxides:	no

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides: 0.000 %

The product does not contain peroxides.

### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.  
The product is chemically stable.

### Conditions to avoid

No special precautions other than good housekeeping of chemicals.

### Incompatible materials

oxidizing agents

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Primary routes of entry

Dermal contact.

Eyes

Inhalation.

### Acute Toxicity/Effects

#### Acute toxicity

Assessment of acute toxicity: Of low toxicity after single ingestion.

#### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

#### Inhalation

# Safety Data Sheet

## ALLIED 75W-90 Synthetic Gear Lubricant

Revision date : 2014/07/07  
Version: 3.0

Page: 7/10  
(30531852/SDS\_GEN\_US/EN)

---

not determined

### Dermal

not determined

### Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

### Skin

Species: rabbit

Result: non-irritant

### Eye

Species: rabbit

Result: non-irritant

### Sensitization

Assessment of sensitization: A sensitizing effect on particularly sensitive individuals cannot be excluded.

### Aspiration Hazard

No data available.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: None known

### Genetic toxicity

Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

### Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

### Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

## **Symptoms of Exposure**

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

---

## **12. Ecological Information**

### **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

# Safety Data Sheet

## ALLIED 75W-90 Synthetic Gear Lubricant

Revision date : 2014/07/07  
Version: 3.0

Page: 8/10  
(30531852/SDS\_GEN\_US/EN)

---

Acutely harmful for aquatic organisms. May cause long-term adverse effects in the aquatic environment.

### Toxicity to fish

LC50 > 10 - 100 mg/l

### **Microorganisms/Effect on activated sludge**

### Toxicity to microorganisms

EC0: > 100 mg/l

### **Persistence and degradability**

### Assessment biodegradation and elimination (H2O)

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

### **Bioaccumulative potential**

### Bioaccumulation potential

No data available.

### **Mobility in soil**

### Assessment transport between environmental compartments

No data available.

### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

---

## **13. Disposal considerations**

### **Waste disposal of substance:**

Dispose of in accordance with national, state and local regulations. Do not discharge into drains/surface waters/groundwater.

It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

### **Container disposal:**

Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Dispose of in accordance with national, state and local regulations.

---

## **14. Transport Information**

### **Land transport**

USDOT

Not classified as a dangerous good under transport regulations

### **Sea transport**

IMDG

Not classified as a dangerous good under transport regulations



# Safety Data Sheet

## ALLIED 75W-90 Synthetic Gear Lubricant

Revision date : 2014/07/07  
Version: 3.0

Page: 9/10  
(30531852/SDS\_GEN\_US/EN)

**Air transport**  
IATA/ICAO

Not classified as a dangerous good under transport regulations

---

### 15. Regulatory Information

#### Federal Regulations

**Registration status:**

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Not hazardous;

#### State regulations

**CA Prop. 65:**

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

**NFPA Hazard codes:**

Health : 1 Fire: 1 Reactivity: 0 Special:

**HMIS III rating**

Health: 1 Flammability: 1 Physical hazard:0 (Essentially no hazard )

---

### 16. Other Information

**SDS Prepared by:**

BASF NA Product Regulations  
SDS Prepared on: 2014/07/07

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED

# Safety Data Sheet

## ALLIED 75W-90 Synthetic Gear Lubricant

Revision date : 2014/07/07

Page: 10/10

Version: 3.0

(30531852/SDS\_GEN\_US/EN)

---

WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. Due to the merger of Cognis and BASF Group all (Material) Safety Data Sheets have been reassessed on the basis of consolidated information. This may have resulted in changes to the (Material) Safety Data Sheets. In case you have questions concerning such changes please contact us at the address mentioned in Section 1.

END OF DATA SHEET